

- Albrecht, J. S., Bubenzer-Busch, S., Gallien, A., Knospe, E. L., Gaber, T. J., & Zepf, F. D. (2017). Effects of a structured 20-session slow-cortical-potential-based neurofeedback program on attentional performance in children and adolescents with attention-deficit hyperactivity disorder: Retrospective analysis of an open-label pilot-approach and 6-month follow-up. *Neuropsychiatric Disease and Treatment*, 13, 667–683.
- Alegria, A. A., Wulff, M., Brinson, H., Barker, G. J., Norman, L. J., Brandeis, D., ... Rubia, K. (2017). Real-time fMRI neurofeedback in adolescents with attention deficit hyperactivity disorder. *Human Brain Mapping*, 38(6)
- Dreis, S. M., Gouger, A. M., Perez, E. G., Ruso, G. M., Fitzsimmons, M. A., Jones, M. S. (2015) Using Neurofeedback to Lower Anxiety Symptoms Using Individualized qEEG Protocols: A Pilot Study. *NeuroRegulation* 2(3), 137-148.
- Frey, L. (2016). Impact of sensorimotor rhythm neurofeedback on quality of life in patients with medically-refractory seizures. *NeuroRegulation* 3(1). 3-6.
- Koberda J, L. and Stodolska-Koberda U (2014). Z-score LORETA Neurofeedback as a Potential Rehabilitation Modality in Patients with CVA. *Journal of Neurology and Stroke* 1(5): 00029.
- Koberda, J.L. et al. 2012. Cognitive enhancement using 19-electrode Z-score Neurofeedback. *Journal of Neurotherapy* 3.
- Frey, L.C., Koberda J.L. (2015). LORETA Z-score neurofeedback in patients with medically refractory epilepsy. *Journal of Neurology and Neurobiology*, 1(1).
- Arns, M., de Ridder, S., Strehl, U., Breteler, M., & Coenen, A. (2009). Efficacia del trattamento con neurofeedback nell'ADHD: effetti su disattenzione, impulsività e iperattività: una meta-analisi. *Clinica EEG e neuroscienze*, 40 (3), 180-189.
- Kerson, C., Sherman, R.A., Kozlowski, G.P. (2009). Alpha suppression and symmetry training for generalized anxiety symptoms. *Journal of Neurotherapy*, 13(3), 146–155.
- Koberda JL, Koberda P, Bienkiewicz A, Moses A, Koberda L. Pain Management Using 19-Electrode Z-Score LORETA Neurofeedback. *Journal of Neurotherapy*, 2013, 17:3, 179-190.
- Baruth, J., Casanova, M., El-Baz, A., Horrell, T., Mathai, G., Sears, L., Sokhadze, E. (2010). Low-frequency repetitive transcranial magnetic stimulation modulates evoked gamma frequency oscillations in autism spectrum disorder. *Journal of Neurotherapy*, 14(3), 179–194.
- Drysdale, M,T,B., Martinez, Y, J., Thompson, L. (2012). The effects of humorous literature on emotion: A pilot project comparing children with asperger's syndrome before and after neurofeedback training and controls. *Journal of Neurofeedback*.
- Coben, R., Wright, EK, Decker, SL e Morgan, T. (2015). L'impatto della coerenza del neurofeedback sui ritardi nella lettura dell'apprendimento dei bambini disabili: uno studio controllato randomizzato. *NeuroRegulation*, 2 (4), 168-178. doi: 10,15,54 mille / nr.2.4.168
- Burkett, V. S., Cummins, J. M., Dickson, R. M., & Skolnick, M. (2005). An open clinical trial utilizing real-time EEG operant conditioning as an adjunctive therapy in the treatment of crack cocaine dependence. *Journal of Neurotherapy*, 9(2), 27–48.

- Zinn, M. A., Zinn, M. L., Jason, L. A. (2017). Small-World Network Analysis of Cortical Connectivity in Chronic Fatigue Syndrome using Quantitative EEG. *NeuroRegulation* 4(3-4), 125-137.
- Gomez-Pilar J, Corralejo R, Nicolas-Alonso LF, Álvarez D, Hornero R. Neurofeedback training with a motor imagery-based BCI: neurocognitive improvements and EEG changes in the elderly. *Med Biol Eng Comput.* 2016 Nov;54(11):1655-1666. Epub 2016 Feb 23.
- Koberda, J. L. (2014). Z-score LORETA neurofeedback as a potential therapy in cognitive dysfunction and dementia. *Journal of Psychology & Clinical Psychiatry*, 1(6). doi: 10.15406/jpcpy.2014.01.00037
- Kayrian, S., Dursun, E., Ermutlu, N., Dursun, N., & Karamursel, S. (2007). Neurofeedback in fibromyalgia syndrome. *The Journal of the Turkish Society of Algology*, 19(3), 47–53.
- Mueller, H. H., Donaldson, C. C. S., Nelson, D. V., & Layman, M. (2001). Treatment of fibromyalgia incorporating EEG-driven stimulation: A clinical outcomes study. *Journal of Clinical Psychology*, 57(7), 933–952.
- Breteler, M. H. M., Arns, M., Peters, S., Giepmans, I., & Verhoeven, L. (2010). Improvements in spelling after QEEG-based neurofeedback in dyslexia: A randomized controlled treatment study. *Applied Psychophysiology & Biofeedback*, 35(1), 5–11.
- Cantor, D.S., Stevens, E. (2009). QEEG correlates of auditory-visual entrainment treatment efficacy of refractory depression. *Journal of Neurotherapy*, 13(2), 100–108.
- Cheon, E.J., Koo, B.H., Choi, J.H. (2016). The efficacy of neurofeedback in patients with major depressive disorder: an open labeled prospective study. *Applied Psychophysiology & Biofeedback*, 41(1), 103-110. doi: 10.1007/s10484-015-9315-8
- Hammond, D. C. (2003). QEEG-guided neurofeedback in the treatment of obsessive compulsive disorder. *Journal of Neurotherapy*, 7(2), 25–52.
- Hammond, D. C. (2004). Treatment of the obsessional subtype of obsessive compulsive disorder with neurofeedback. *Biofeedback*, 32, 9–12.
- Arns, M., Kleinnijenhuis, M., Fallahpour, K., & Bretler, R. (2007). Golf performance enhancement and real-life neurofeedback training using personalized event-locked EEG profiles. *Journal of Neurotherapy*, 11(4), 11–18.
- Boynton, T. (2001). Applied research using alpha/theta training for enhancing creativity and well-being. *Journal of Neurotherapy*, 5(1–2), 5–18.
- Egner, T., & Gruzelier, J. H. (2003). Ecological validity of neurofeedback: Modulation of slow wave EEG enhances musical performance. *NeuroReport*, 14(9), 1221–1224.
- Grin-Yatsenko, V. A., Othmer, S, Ponomarev, V. A., Evdokimov, S. A., Konoplev, Y. Y., Kroptov, J. D. (2018) Infra-Low Frequency Neurofeedback in Depression: Three case studies. *NeuroRegulation* 5(1), 30-42.
- Ayers, M. E. (2004). Neurofeedback for cerebral palsy. *Journal of Neurotherapy*, 8(2), 9394.
- Bachers, A. (2004). Neurofeedback with cerebral palsy and mental retardation. *Journal of Neurotherapy*, 8(2), 95–96.
- Bearden, T. S., Cassisi, J. E., & Pineda, M. (2003). Neurofeedback training for a patient with thalamic and cortical infarctions. *Applied Psychophysiology & Biofeedback*, 28(3), 241–253.

Budzynski, T. H. (1996). Brain brightening: Can neurofeedback improve cognitive process? *Biofeedback*, 24(2), 14–17.

deBeus, R. J. (2007). Quantitative electroencephalography-guided versus Scott/Peniston neurofeedback with substance abuse outpatients: A pilot study. *Biofeedback*, 35(4), 146–151.

Micoulaud-Franchi, JA., Geoffroy, PA, Fond, G., Lopez, R., Bioulac, S., Philip, P. (2014). Trattamenti neurofeedback EEG in bambini con ADHD: una meta-analisi di aggiornamento di studi randomizzati controllati. *Frontiers in Human Neuroscience*, 8 (906), 1-7.

Steiner, NJ, Frenette, EC, Rene KM, Brennan, RT e Perrin, EC (2014). Formazione a scuola sul neurofeedback per l'ADHD: miglioramenti sostenuti da uno studio di controllo randomizzato. *Pediatria*, 133 (3), 483-492. doi: 10.1542 / peds.2013-2059.

Wigton, NL, & Krigbaum, G. (2015). Attenzione, funzione esecutiva, comportamento e funzione elettrocorticale, significativamente migliorata con neurofeedback z-score a 19 canali in un contesto clinico: uno studio pilota. *Journal of Attention Disorders*, [e-pub in anticipo sulla stampa].